

# Industrial Paper Shredders: Cross Cut

Shredders	Type	Throughput	Horsepower	Infeed Opening
Series 1	Cross Cut Shredder	250 - 900 Lbs. Per Hour	3 HP - 10 HP	16" Wide Conveyor
Series 2	Cross Cut Shredder	1000 - 1500 Lbs. Per Hour	10 HP - 15 HP	16" Wide Conveyor
Series 2	Pre-Shredder	Variable	10 HP - 40 HP	Hopper Size Varies
Series 3	Cross Cut Shredder	1000 - 2600 Lbs. Per Hour	20 HP - 40 HP	20" Wide Conveyor
Series 3	Double Cut Shredding System	2.0 - 4.0 Tons / Hour	20 HP - 40 HP	20" Wide Conveyor
Series 4	Double Cut Shredding System	4.0 - 8.0 Tons / Hour	50 HP - 100 HP	30" Wide Conveyor
Series 5	Double Cut Shredding System	8.0 - 16.0 Tons / Hour	125 HP - 200 HP	36" - 48" Wide Conveyor

# Cross Cut Paper Shredders: Series 1

Model Number	Horsepower	1/8" x 5/8" Lbs. / Hour	1/8" x 1-1/2" Lbs. / Hour	1/4" x 1-7/8" Lbs. / Hour	Speed (FPM)	Weight (Lbs.)
AMS-300	3 HP	250-450	300-550	350-600	44	1,600
AMS-500	5 HP	300-500	400-600	400-650	42	1,660
AMS-750	7.5 HP	400-600	450-650	500-750	62	1,725
*AMS-1000	10 HP	N/A	N/A	650-900	73	1,800

\*AMS-1000 is not available in single phase power

- 16" wide infeed conveyor
- 208, 230 or 460 volt, 1 or 3 phase
- Capacities are reduced with single phase
- Bag holder or output conveyor
- Auto lubrication available
- One year warranty on parts
- 59" L x 36" W x 47.5" H



# Cross Cut Paper Shredders: Series 2

Model Number	Horsepower	5/16" x 2-1/2" Lbs. / Hour	Speed (FPM)	Weight (Lbs.)
AMS-1000/10	10 HP	1,000 - 2,000	55	3,300
AMS-1000/15	15 HP	1,200 - 1,500	84	3,800

- 16" wide infeed conveyor
- 208, 230 or 460 volt, 3 phase
- Adjustable, bronze wear pads
- Bag holder or output conveyor
- Auto lubrication available
- One year warranty on parts
- 76" L x 52" W x 56" H
- 84" W with Side Tables



# Double Cut Paper Shredders: Series 2

## Hopper Fed Industrial Pre-Shredders

Turn your existing strip cut shredder into a double cut shredding system without doubling your space or reducing your throughput.

A forty horsepower AMS-4000 is shown at right with a separate hopper fed pre-shredder that discharges onto its in-feed conveyor. These pierce and tear shredders offer customers that are running strip cut shredders the option of a double cut in order to produce a smaller particle size.

- Choice of horsepower and shred width
- Space saving versatility
- In-feed conveyor available



# Cross Cut Paper Shredders: Series 3

Model Number	Horsepower	5/16" x 2-1/2" Lbs. / Hour	Speed (FPM)	Weight (Lbs.)
AMS-2000	20 HP	1000 - 1400	58	5,500
AMS-2500	25 HP	1400 - 1800	80	5,700
AMS-3000	30 HP	1800 - 2200	90	5,800
AMS-4000	40 HP	2200 - 2600	125	6,000

- 20" wide infeed conveyor
- 208, 230 or 460 volt, 3 phase
- Adjustable, bronze wear pads
- Output conveyor additional
- Auto lubrication available
- One year warranty on parts
- 112" L x 62" W x 67" H



# Double Cut Shredding Systems Utilize Two Industrial Paper Shredders

Shredder Series	Horsepower	Throat Opening	5/16" Tons / Hour	1/2" Tons / Hour	5/8" Tons / Hour	1" Tons / Hour
Series 3	20 - 40 HP	20" Wide	0.5 - 1.5	0.8 - 2.4	1.0 - 3.0	N / A
Series 4	50 - 100 HP	30" Wide	N / A	2.4 - 4.8	3.0 - 6.0	3.8 - 7.5
Series 5	125 - 200 HP	36" - 48" W	N / A	4.8 - 9.6	6.0 - 12.0	7.5 - 15.0

The primary shredder's cutting assembly is specifically designed to optimize throughput while the secondary shredder provides the security of a smaller cut.

- Rugged, all steel construction
- Paper metering system optional
- Metal detector available
- Auto lubrication available
- One year warranty on parts





**P.O.Box 68**  
**Alpena, MI 49707**

Toll Free: (800) 634-8981

Fax: (989) 358-6122

Email: [info@ameri-shred.com](mailto:info@ameri-shred.com)

Website: [www.ameri-shred.com](http://www.ameri-shred.com)